

woodworkers engineered oak door range

Engineered doors use laminated timbers and timber veneers. Entrance doors must be installed in weather protected areas



Aspen oak doors cannot be hung in a cedar frame

Aspen Oak Door

Size (slat projections to both sides)	Door only	Pre-hung hinged unit	Pivot frame unit
2040 x 820 x 45 (65mm with projections)	\$3488	\$5112	N/A
2040 x 870 x 45 (65mm with projections)	\$3488	\$5133	N/A
2040 x 1200 x 45 (65mm with projections)	\$4451	N/A	\$7245
2340 x 820 x 45 (65mm with projections)	\$3749	\$5496	N/A
2340 x 870 x 45 (65mm with projections)	\$3749	\$5517	N/A
2280 x 1200 x 45 (65mm with projections)	\$4785	N/A	\$7675



Oak door shown in photo

Aspen Eucalyptus Door

Size (slat projections to both sides)	Door only	Pre-hung hinged unit	Pivot frame unit
2040 x 820 x 45 (65mm with projections)	\$2253	\$3877	N/A
2040 x 870 x 45 (65mm with projections)	\$2253	\$3898	N/A
2040 x 1200 x 45 (65mm with projections)	\$2748	N/A	\$5542
2340 x 820 x 45 (65mm with projections)	\$2478	\$4225	N/A
2340 x 870 x 45 (65mm with projections)	\$2478	\$4246	N/A
2280 x 1200 x 45 (65mm with projections)	\$3023	N/A	\$5913



American Oak veneer for internal use only

adjustable oak split jamb frame kit 90° - 135mm wide x 19mm with 68 x 12 splay profile oak architraves both sides



Internal use only

Woodworkers Horizontal 4 Panel Oak**

Door size	door only	frame + architrave kit *
2040 x 820 x 35	\$399	\$228
2040 x 770 x 35	\$392	\$228
2040 x 720 x 35	\$381	\$228
2040 x 620 x 35	\$373	\$228
2340 x 820 x 35	\$462	\$257
2340 x 770 x 35	\$453	\$257
2340 x 720 x 35	\$444	\$257
2340 x 620 x 35	\$435	\$257

Woodworkers Vic. 4 Panel Oak

Size	Oak
2040 x 820 x 35	\$499
2040 x 770 x 35	\$496
2040 x 720 x 35	\$493
2040 x 620 x 35	\$490



Woodworkers Rustic Oak Barn Door

Size	Oak
2400 x 1200 x 42	\$1648
2100 x 1200 x 42	\$1463



Woodworkers Rustic Oak Barn Door

Size	Oak
2100 x 920 x 42	\$1072
2040 x 820 x 42	\$1043

Rustic oak doors cannot be hung in a cedar frame.

All American oak doors are supplied raw



solid oak door

Narrow Reeded Glass 1 Light

Size	2040mm height	2340mm height
height x 920	\$1365	\$1541
height x 870	\$1298	\$1465
height x 820	\$1232	\$1395
height x 720	\$1130	\$1279
height x 620	\$1023	\$1163



AWO40

Size	2040mm height	2340mm height
height x 920	\$1587	\$1744
height x 820	\$1299	\$1468
translucent glass extra 15%		



AWO7G

Size	Oak Veneer
2040 x 920	\$1338
2040 x 820	\$1102
2340 x 920	\$1494
2340 x 820	\$1338
translucent glass extra 15%	



AWO2

Size	Oak Veneer
2040 x 920	\$880
2040 x 820	\$828
2340 x 920	\$970
2340 x 820	\$906



Internal use only

AWOB2

Size	Oak Veneer
2150 x 1000 x 35	\$1049
2450 x 1000 x 35	\$1116

Corinthian American Oak doors have limited warranty for weather protected external use - refer Corinthian Door Care and Maintenance recommendations



woodworkers engineered oak door range

American Oak is sustainably harvested and plantation grown. All glazed door prices allow for clear glazing. Other glass options are at additional cost. Doors prefixed with 'AW' are veneered construction by Corinthian doors and are subject to their warranty conditions. American Oak doors are 40mm thick unless noted otherwise. Doors wider than 920mm or higher than 2400mm are not covered by Australian standards for distortion.



PREHUNG PREPRIMED FRENCH DOOR SPECIALS

red cedar · framed + hung · clear glazed

CATALOGUE SPECIAL PRICES WHILE STOCKS LAST

N2 DESIGN PERFORMANCE
Structural 1000 Pa
Water Resistance 150 Pa

NO ADVERTISED DISCOUNTS APPLY TO THESE ITEMS



white primed single lights

Size	Cedar
2100 x 1700 x 140	\$1780
2100 x 1500 x 140	\$1727
2100 x 1300 x 140	\$1660
2400 x 1700 x 140	\$2125
2400 x 1500 x 140	\$2051
2400 x 1300 x 140	\$1983

white primed eight lights

Size	Cedar
2100 x 1700 x 140	\$1866
2100 x 1500 x 140	\$1814
2100 x 1300 x 140	\$1764
2400 x 1700 x 140	\$2386
2400 x 1500 x 140	\$2276
2400 x 1300 x 140	\$2166

white primed vic. single lights

Size	Cedar
2100 x 1500 x 140	\$1817
2100 x 1300 x 140	\$1714
2100 x 1140 x 140	\$1673

white primed vic. twin lights

Size	Cedar
2100 x 1500 x 140	\$1890
2100 x 1300 x 140	\$1783
2100 x 1140 x 140	\$1740

140 x 32 CEDAR FRAME WITH KWILA SILL, CLEAR SAFETY GLASS DOORS OPEN OUT HUNG ON SILVER SS BB HINGES. DOORS REBATED TO OPEN OUTWARDS LEFT DOOR OPENS OUT FIRST WHEN VIEWED FROM OUTSIDE

all stock prehung french door prices subject to availability



oil finish single lights

Size	Cedar
2100 x 1700 x 140	\$1780
2100 x 1500 x 140	\$1727
2100 x 1300 x 140	\$1660
2400 x 1700 x 140	\$2125
2400 x 1500 x 140	\$2051
2400 x 1300 x 140	\$1983

oil finish eight lights

Size	Cedar
2100 x 1700 x 140	\$1866
2100 x 1500 x 140	\$1814
2100 x 1300 x 140	\$1764
2400 x 1700 x 140	\$2386
2400 x 1500 x 140	\$2276
2400 x 1300 x 140	\$2166



Curvetop Sunrise + 8 Light French Doors
2582 x 1700 - \$4182
framed, hung + primed



Two light fixed transom + Vic. 1 Light French Doors
2550 x 1300 - \$2266
framed, hung + white primed




Four light transom + 8 Light French Doors
2582 x 1300 - \$2377
framed, hung + primed

Our stock prehung french doors will save up to 25% !!!




Perimeter door stop seals can be installed on pre-hung units for an additional \$113 per unit

Stock French door units exclude weatherseals, dropbolts, lock morticing and locking hardware. If units need to be adapted to add any of these extras or change hinge colour an adaption labour cost of \$91 would apply plus the cost of the extras required.



Double Glazed Single light Door


Size	Cedar	Size	Cedar
2040 x 1220	\$1140	2340 x 1220	N/A
2040 x 1020	\$990	2340 x 1020	\$1087
2040 x 920	\$912	2340 x 920	\$1004
2040 x 820	\$821	2340 x 820	\$904
2040 x 720	\$797	2340 x 720	\$878
2040 x 620	\$778	2340 x 620	\$862
2040 x 410	\$744	2340 x 410	\$821



width	height: 2040mm	height: 2340mm
1220	Cedar Kwila \$1467 \$1761	Cedar Kwila N/A N/A
1020	\$1103 \$1324	\$1257 \$1509
920	\$1039 \$1247	\$1193 \$1432
820	\$970 \$1164	\$1125 \$1350
720	\$910 \$1092	\$1068 \$1282
620	\$845 \$1014	\$1000 \$1200



WOODWORKERS STEALSHIELD DOORS
304 s. steel mesh with black polymer coating
1.5mm apertures, 0.9mm strands



symbol denotes central horizontal joint in mesh

Woodworkers double glazed doors offer an excellent combination of security, noise and solar control. The 16mm thick glass panels comprise two skins of toughened 5mm clear glass with a pyrolytic coating (LowE) to the inside. The units have desiccant spacers to prevent fogging in the argon gas filled center void. The panels reduce heat transfer by more than 50% and block infra-red and UV by more than 90%. They retain heat in winter; keep interiors cool in summer and provide brilliant noise reduction all year round.

woodworkers solid cedar



Single Light

Size	Cedar	NGR*
2040 x 1220	\$830	N/A
2040 x 1020	\$685	N/A
2040 x 920	\$629	\$718
2040 x 870	\$599	N/A
2040 x 820	\$566	\$646
2040 x 770	\$559	N/A
2040 x 720	\$552	N/A
2040 x 620	\$530	N/A
2040 x 410	\$528	N/A

Lockrail

Size	Cedar
2040 x 820 x 40	\$599
2040 x 720 x 40	\$585
2040 x 620 x 40	\$572
2340 x 820 x 40	\$655
2340 x 720 x 40	\$637
2340 x 620 x 40	\$616

price per door
stock obscure glass + 40%

4 Light

Size	Cedar
2040 x 820 x 40	\$589
2040 x 720 x 40	\$572
2040 x 620 x 40	\$558
2040 x 410 x 40	\$551

price per door
stock obscure glass + 30%

PRE-PRIMED WHITE OR CLEAR SEALED FREE UNLESS NOTED

pre-primed white or clear sealed



Gallery Margin Light

Size	Cedar
2040 x 620 x 40	\$674

price per door
stock obscure glass + 18%
other glazing options P.O.A.

Coathanger

Size	Cedar
2040 x 620 x 40	\$689

price per door
stock obscure glass + 18%
other glazing options P.O.A.

Hopscotch

Size	Cedar	White Primed
2040 x 620 x 40	\$654	\$654

price per door
stock obscure glass + 18%
other glazing options P.O.A.


French panelled doors are not suitable for fully exposed positions. They are traditional construction intended for use under verandas and have recessed panels which can trap water if not protected and sealed fully.

All prices include GST but are subject to change without notice. Prices do not include delivery or hardware unless noted.

enquire if other services are available with your joinery choice.
• locking kits see page 42
• lock morticing to suit



french doors



8 Light			10 Light & Sidelight			Conservatory			15 Light		
Size	Cedar	White Primed	Size	Cedar		Size	Cedar		Size	Cedar	
2040 x 820 x 40	\$623	\$623	2040 x 820 x 40	\$658		2040 x 820 x 40	\$1335*		2040 x 820 x 40	\$799	\$1248
2040 x 720 x 40	\$610	\$610	2040 x 720 x 40	\$646		2040 x 720 x 40	\$1315*		2040 x 720 x 40		
2040 x 620 x 40	\$599	\$599	2040 x 620 x 40	\$632		2040 x 620 x 40	\$1297*		2040 x 620 x 40		
2040 x 410 x 40	\$551	\$551	2040 x 410 x 40	\$580			clear glazed		2340 x 820 x 40	18 Light	
2340 x 820 x 40	\$713	\$713	2340 x 820 x 40	\$755					2340 x 820 x 40	\$917	\$1362
2340 x 720 x 40	\$701	\$701	2340 x 720 x 40	\$742							
2340 x 620 x 40	\$686	\$686	2340 x 620 x 40	\$725							
2340 x 410 x 40	\$631	\$631	2340 x 410 x 40	\$665							
price per door. stock obscure glass + 30%			price per door. stock obscure glass + 30%			* if available and while stocks last			2340mm French doors have a 190mm top rail		



Victorian Twin Light			Victorian Single Light & Sidelight			Full Fixed Blade Storm Shutter			Panelled Fixed Blade Storm Shutter		
Size	Cedar	White Primed	Size	Cedar	White Primed	Size	Cedar		Size	Cedar	
2040 x 720 x 40	\$612	\$612	2040 x 720 x 40	\$612	\$612	2040 x 820 x 40	\$849		2040 x 620 x 40	\$651	
2040 x 620 x 40	\$566	\$566	2040 x 620 x 40	\$566	\$566	2040 x 720 x 40	\$763				
2040 x 540 x 40	\$556	\$556	2040 x 540 x 40	\$556	\$556	2040 x 620 x 40	\$674				
2040 x 420 x 40	\$552	\$552	2040 x 420 x 40	\$552	\$552						
2340 x 720 x 40	\$674	\$674	2340 x 720 x 40	\$674	\$674						
2340 x 620 x 40	\$628	\$628	2340 x 620 x 40	\$628	\$628						

Shutters supplied raw only




woodworkers french doors

Woodworkers has the widest range of stock french door designs and sizes available in Australia. Many of the designs are offered with a selection of pre primed finishes and glass choices. The range includes our unique stealshield doors to provide protection against intruder and bushfire attack.


french door
bifold + slider
video



woodworkers cedar patio and barn door range



Any of the patio range can be converted into stable doors at an additional cost of \$269
Face mounted shelf with brackets if required additional \$110



Provincial 1 Light

Size	Cedar	White#
2040 x 820 x 40	\$851	\$851
2340 x 820 x 40	\$937	\$937
stock obscure glass + 20%		



Provincial 4 Light

Size	Cedar	White#
2040 x 820 x 40	\$888	\$888
2340 x 820 x 40	\$1060	\$1060
stock obscure glass + 20%		



Provincial 6 Light

Size	Cedar	White#
2040 x 820 x 40	\$907	\$907
2340 x 820 x 40	\$1122	\$1122
stock obscure glass + 20%		



Provincial 9 Light

Size	Cedar	White#
2040 x 820 x 40	\$935	\$935
2340 x 820 x 40	\$1215	\$1215
stock obscure glass + 20%		



Gallery Margin Light

Size	Cedar	White#
2040 x 820 x 40	\$935	\$935
2340 x 820 x 40	\$1215	\$1215
stock obscure glass + 20%		



V J Plank High Waist

Size	H/Wood	Cedar
2040 x 820 x 40	\$664	\$900
stock obscure glass + 5%		



V J Plank Vestibule 1 Light

Size	H/Wood	Cedar
2040 x 820 x 40	\$643	\$861
stock obscure glass + 20%		



V J Plank Vestibule 4 Light

Size	Cedar
2040 x 820 x 40	\$935
stock obscure glass + 20%	



V J Plank Vestibule 6 Light

Size	Cedar
2040 x 820 x 40	\$972
stock obscure glass + 20%	



V J Plank Vestibule 9 Light

Size	Cedar
2040 x 820 x 40	\$1027
stock obscure glass + 20%	

ALL STOCK CEDAR DOORS CLEAR OIL SEALED FREE

NEW PRODUCT

OVERSIZED DOORS ARE NOT COVERED BY AUSTRALIAN STANDARDS FOR DISTORTION

Barn doors are not suitable for weather exposed locations

Preprimed stock subject to availability. If unpainted stock needs to be white primed additional cost of 10% would apply



Barn door cross bracing to one side only


Cross Brace Barn Door

Size	Cedar
2100 x 920 x 40	\$1072
2040 x 820 x 40	\$1043



Cross Brace Jumbo Barn Door

Size	Cedar
2400 x 1200 x 45	\$1648
2100 x 1200 x 45	\$1463



Barn door cross bracing to one side only

Jumbo Barn Door

Size	Cedar
2400 x 1200 x 45	\$1485
2100 x 1200 x 45	\$1298



diagonals can be reversed as shown




Barn door cross bracing to one side only

Barn Door

Size	Cedar
2100 x 920 x 40	\$907
2040 x 820 x 40	\$878



diagonals can be reversed as shown



Barn door cross bracing to one side only

Cedar Slotted Louvres

custom made to size 40mm, 35mm thick	
indicative prices	
Size	40/35mm
2040 x 820	\$849
2040 x 720	\$778
2040 x 620	\$725

Open Rail hardware available in black or stainless steel. See Hardware catalogue for pricing

enquire if other services are available with your door choice.

- prepriming white prior to glazing extra 10%
- prepriming not available for preglazed units
- lock and flush bolt morticing for woodworkers hardware.

Woodworkers patio and barn doors provide choices for most period or contemporary applications. Doors can be glazed to suit your privacy and security requirements. Doors wider than 920mm or higher than 2400mm are not covered by Australian standards for distortion.

woodworkers internal range



Victorian 4 Panel**

Size	H/Wood	Cedar	White Primed
2100 x 870 x 35	\$500	\$654	\$500*
2040 x 820 x 35	\$450	\$598	\$450*
2040 x 770 x 35	\$448	\$592	\$448*
2040 x 720 x 35	\$444	\$583	\$444*
2040 x 620 x 35	\$439	\$578	\$439*
2040 x 520 x 35	\$382	\$518	\$382*
2040 x 410 x 35	\$366	\$498	\$366*
2040 x 820 x 40	N/A	\$631	\$537*
2040 x 720 x 40	N/A	\$608	N/A



Translucent Single Light

Size	35mm cedar	40mm cedar
2040 x 820	\$626	\$651
2040 x 720	\$624	\$648
2040 x 620	\$622	\$646
2340 x 820	N/A	\$757
2340 x 720	N/A	\$745
2340 x 620	N/A	\$736

40mm doors suitable externally



Plant on rails and mullions can be installed on single panel doors as required, at additional cost.

Single Panel**

Size	H/Wood
2040 x 820 x 35	\$363
2040 x 770 x 35	\$357
2040 x 720 x 35	\$350
2040 x 620 x 35	\$341
2340 x 820 x 35	\$428
2340 x 770 x 35	\$422
2340 x 720 x 35	\$406
2340 x 620 x 35	\$397

Raw or White Primed available



Malibu**

Size	Cedar
2040 x 820 x 35	\$426
2040 x 770 x 35	\$418
2040 x 720 x 35	\$411

translucent glass only
internal only

* subject to availability



Cedarfield Internals**

Size	Cedar
2040 x 820 x 35	\$363
2040 x 770 x 35	\$357
2040 x 720 x 35	\$350
2040 x 620 x 35	\$341
2340 x 820 x 35	\$422
2340 x 720 x 35	\$406
2340 x 620 x 35	\$397



Woodworkers Horizontal 4 Panel Oak**


Door size	door only	frame + architrave kit *
2040 x 820 x 35	\$399	\$228
2040 x 770 x 35	\$392	\$228
2040 x 720 x 35	\$381	\$228
2040 x 620 x 35	\$373	\$228
2340 x 820 x 35	\$462	\$257
2340 x 770 x 35	\$462	\$257
2340 x 720 x 35	\$444	\$257
2340 x 620 x 35	\$435	\$257



Woodworkers Vic. 4 Panel Oak

Size	Oak
2040 x 820 x 35	\$499
2040 x 770 x 35	\$496
2040 x 720 x 35	\$493
2040 x 620 x 35	\$490

ALL PRICES INCLUDE GST



Vic. Glazed 4 Panel & Sidelight

Size	H/Wood	Cedar
2040 x 820 x 35	\$488	\$621
2040 x 720 x 35	\$472	\$606
2100 x 870 x 40	N/A	\$731
2040 x 820 x 40	N/A	\$651
2040 x 410 x 40	N/A	\$491
2040 x 410 x 35	\$382	N/A

price glazed clear, obscure glass extra \$85



leadlights extra \$462 each

Narrow Reeded Glass Single Light

Size	2040mm height	2340mm height
height x 920	\$1240	\$1386
height x 870	\$1170	\$1307
height x 820	\$1093	\$1223
height x 720	\$995	\$1101
height x 620	\$883	\$983



Bevel 10 light

Size	Cedar
2040 x 820 x 40	\$738
2040 x 720 x 40	\$685
2040 x 620 x 40	\$669

see page 19 for non-bevel glass options

Internal doors priced as raw. Additional costs apply for priming



8 Panel

Size	H/Wood	Cedar
2040 x 820 x 35	\$555	\$732
2040 x 720 x 35	\$535	\$717
2040 x 620 x 35	\$526	\$699*
2040 x 410 x 35	\$449	N/A



3 Panel High Waist**

Size	H/Wood
2040 x 870 x 35	\$482
2040 x 820 x 35	\$448
2040 x 770 x 35	\$444
2040 x 720 x 35	\$441
2040 x 620 x 35	\$436



4 Panel High Waist**

Size	H/Wood
2040 x 820 x 35	\$460
2040 x 720 x 35	\$448

available square shouldered or ovolo moulded



Solidcore Cedar Flush Ply

Size	Cedar veneer
2040 x 820	\$493
2040 x 1200	\$803
2340 x 820	\$599
2340 x 1200	\$973

Engineered door for protected external or internal use.

Woodworkers offers a selection of engineered doors made specifically for internal applications as well as solid timber options where some exposure is expected. Woodworkers also procures internal doors from other manufacturers to ensure the widest selection possible. Visit our website www.woodworkers.com.au for FAQ 24 on Internal doors for more information.

budget entries

N2

DESIGN PERFORMANCE
Structural 1000 Pa
Water Resistance 150 Pa

When your entry is to be painted, particularly with dark colours, solid timber joinery isn't always suitable. Woodworkers offer a limited range of Corinthian door and sidelight options suitable for such applications that are less expensive than solid joinery but are subject to Corinthian warranty conditions

BUDGET ENTRIES INCLUDE:


- 140 x 32 frame with kwila sill
- Corinthian PCL4 door and PCLSL4G sidelight, or similar, or other options if chosen
- hanging on stainless steel hipline hinges
- priming white
- clear or white translucent sidelight and transom glazing
- transom glazing beaded directly to frame
- alternative transom heights are available POA

BUDGET ENTRY OPTIONS



PCL4 double door entry unit

door size (mm)	frame width (mm)	without transom 2110mm high	with transom 2400mm high
820	1700	\$2305	\$2765
870	1800	\$2574	\$3054
920	1900	\$2574	\$3072




PCL4 1 door + 2 sidelights entry unit

frame width (mm)	without transom 2110mm high	with transom 2400mm high
1758	\$3268	\$3910
1808	\$3403	\$4055
1858	\$3403	\$4064



PCL4 1 door + 1 sidelight entry unit

frame width (mm)	without transom 2110mm high	with transom 2400mm high
1324	\$2325	\$2802
1374	\$2461	\$2945
1424	\$2461	\$2956



PCL4 2 doors + 2 sidelights entry unit

door size (mm)	frame width (mm)	without transom 2110mm high	with transom 2400mm high
820	2568	\$4184	\$4978
870	2668	\$4455	\$5268
920	2768	\$4455	\$5268



PCL4 single door entry unit

frame width (mm)	without transom 2110mm high	with transom 2400mm high
890	\$1385	\$1695
940	\$1520	\$1840
990	\$1520	\$1849

OTHER DOOR ENTRY OPTIONS

SEE PRICES IN THE TABLE BELOW

* sidelights to PSC1 are fixed clear glass only



PCL4G PCL2 PSC1*

	single door entry				1 door + 1 sidelight entry				double doors entry				1 door + 2 sidelights entry				2 doors + 2 sidelights entry			
	door size (mm)	frame width (mm)	without transom 2110mm high	with transom 2400mm high	door size (mm)	frame width (mm)	without transom 2110mm high	with transom 2400mm high	door size (mm)	frame width (mm)	without transom 2110mm high	with transom 2400mm high	door size (mm)	frame width (mm)	without transom 2110mm high	with transom 2400mm high	door size (mm)	frame width (mm)	without transom 2110mm high	with transom 2400mm high
PCL2	820	890	\$1484	\$1795	1324	\$2424	\$2901	1700	\$2500	\$2962	1758	\$3364	\$4008	2568	\$4380	\$5175	820	890	\$1385	\$1695
	870	940	\$1629	\$1950	1374	\$2571	\$3057	1800	\$2795	\$3274	1808	\$3514	\$4165	2668	\$4675	\$5489	870	940	\$1532	\$1851
	920	990	\$1629	\$1959	1424	\$2571	\$3066	1900	\$2795	\$3292	1858	\$3514	\$4174	2768	\$4675	\$5508	920	990	\$1532	\$1862
PSC1	820	890	\$1385	\$1695	1324	\$2045	\$2521	1700	\$2305	\$2765	1758	\$2705	\$3347	2568	\$3623	\$4416	820	890	\$1385	\$1695
	870	940	\$1532	\$1851	1374	\$2191	\$2677	1800	\$2599	\$3079	1808	\$2853	\$3505	2668	\$3918	\$4730	870	940	\$2010	\$2329
	920	990	\$1532	\$1862	1424	\$2191	\$2677	1900	\$2599	\$3097	1858	\$2853	\$3515	2768	\$3918	\$4749	920	990	\$2010	\$2339
PCL4G	820	890	\$1864	\$2173	1324	\$2804	\$3282	1700	\$3261	\$3723	1758	\$3746	\$4389	2568	\$5142	\$5935	820	890	\$1864	\$2173
	870	940	\$2010	\$2329	1374	\$2951	\$3436	1800	\$3555	\$4035	1808	\$3893	\$4546	2668	\$5437	\$6250	870	940	\$2010	\$2329
	920	990	\$2010	\$2339	1424	\$2951	\$3447	1900	\$3555	\$4054	1858	\$3893	\$4554	2768	\$5437	\$6268	920	990	\$2010	\$2339

corinthian internal range



DECO 1S


Corinthian DECO Honeycomb core, preprimed, square groove routed both sides



DECO 2S

All DECO Flush Styles

Size	2040mm (height)	2340mm (height)
height x 920 x 35	\$237	\$278
height x 870 x 35	\$237	\$278
height x 820 x 35	\$211	\$250
height x 770 x 35	\$211	\$250
height x 720 x 35	\$211	\$250
height x 620 x 35	\$211	\$250
height x 520 x 35	\$211	\$250



MOTIVE 2

Corinthian MOTIVE Honeycomb core, preprimed, square groove routed both sides

All MOTIVE Flush Styles

Size	2040mm height	2340mm height
height x 920 x 35	\$185	\$278
height x 870 x 35	\$237	\$278
height x 820 x 35	\$146	\$250
height x 770 x 35	\$146	\$250
height x 720 x 35	\$146	\$250
height x 620 x 35	\$146	\$250
height x 520 x 35	\$146	\$250



Moulded 4 Panel Glazed

Corinthian Honeycomb core moulded panel, preprimed, clear or obscure

Woodgrain only

Size	clear glazed
2040 x 820 x 35	\$893
2040 x 720 x 35	\$893
2040 x 620 x 35	\$893



Hollowcore Four Panel

Corinthian Honeycomb core, preprimed, moulded panel both sides

Size	woodgrain hollowcore
2040 x 920 x 35	\$222
2040 x 870 x 35	\$194
2040 x 820/770/720 x 35	\$172
2040 x 620/520/420 x 35	\$172



Internal Solidcore Smooth Skin

Size	2040mm height	2340mm height
height x 920 x 35	\$393	\$472
height x 870 x 35	\$393	\$472
height x 820 x 35	\$356	\$421
height x 770 x 35	\$356	\$421
height x 720 x 35	\$356	\$421

Note: Corinthian doors purchased to specific orders are non returnable and non refundable unless defective.

ALL PRICES INCLUDE GST



Flush Veneer VEX

External VEX solidcore



Flush PMDF / EXP

Internal PMDF hollowcore

External EXP solidcore



Hollowcore Moulded Panel

Corinthian Solidcore versions also available for CLB & 4 Panel

Size	smooth hollowcore
2040 x 920 x 35	\$237
2040 x 870 x 35	\$207
2040 x 820/770/720 x 35	\$180
2040 x 620/520/420 x 35	\$180



Internal Solidcore Smooth Skin

Size	2040mm height	2340mm height
920 x 35	\$393	\$472
870 x 35	\$393	\$472
820 x 35	\$356	\$421
770 x 35	\$356	\$421
720 x 35	\$356	\$421



Backdoor No. 7

Size	hollowcore
2040 x 870 x 35	\$644
2040 x 820 x 35	\$461
2040 x 770/720 x 35	\$630
2040 x 820 x 40	\$461
2040 x 720 x 40	\$525



IBP 1

Size	White
2040 x 820 x 40	\$1482

DOORS SUPPLIED IN CORINTHIAN FACTORY FINISH

All glazed door prices allow for clear glazing. Other glass options are at additional cost. Woodworkers do not manufacture engineered doors but source a range from Corinthian doors. Corinthian doors carry a limited 5 year warranty and are suitable for internal and fully protected external installations.

bushfire door options



PBD4

Size White
2150 x 1000 x 35 \$775
2450 x 1000 x 35 \$880



PBD2

Size White
2150 x 1000 x 35 \$775
2450 x 1000 x 35 \$880

woodworkers barn door hardware



elevation



roller head



floor fixed guide



wall fixed guide



300mm
flush pull
set

available in
silver, black
and white


Woodworkers have various barn door hardware options with kits available from 2 meters to 5.8 meters

Budget kits 2m long \$182

Pull handle + flush pull sets from \$72

Refer our hardware catalogue for the full range

wall cavity sliding unit



INTERBLIND 2

IBP 2

Size White
2040 x 820 x 40 \$1311



Cavity units are the ultimate space saving solution as the frame, and rollers are designed to be built into the wall. Woodworkers supply Corinthian cavity units whose range includes timber (Slimline) and steel units (Platinum) which are made to suit both 35mm and 40mm doors. There is a wide selection of widths and heights in cavity units that can suit a range of applications, including floor to ceiling and tiled wet areas.

Traditional Woodworkers joinery options can achieve certification up to BAL29, often requiring some adaptations to protect against ember attack. Engineered solid core options also exist from Corinthian doors for both BAL29 and BAL40 as shown below. Woodworkers can supply framed and hung bushfire rated doors and hardware that meets all regulatory requirements.

CORINTHIAN DOOR SIZES

Door size: 2340/2040 x 820 x 40mm

Sidelight size: 2040 x 400 x 40mm.

Not all stock products are suitable for bushfire areas



BAL 29 CORINTHIAN DOORS



PRU 03



PRU 106



PRU 104



PRU 07



PRU 21



EXP BAL 29



FUSMB 101
blackwood



FUSMA 101
victorian ash



FUSMJ 101
jarrah



FUSMW 101
walnut



FUSMC 101
western red cedar



FUSMM 101
myrtle

BAL 40 CORINTHIAN DOORS



PBUSHG 101 +
PBUSHSL101



PBUSHG 513



PBUSHG 514



PBUSHG 506



PBUSHG 104 +
PBUSHGSL 104



PBUSH 4



PBUSH 44



PBUSH 9



PBUSH



PBUSH 1



PBUSH 2



bushfire zones

If you are building in a bushfire prone area with a specified BAL (Bushfire Attack Level) higher than BAL-LOW, there are restrictions on the timber species that can be used for doors and windows according to the protection provided over the joinery. The following simplified table indicates acceptable timber solutions when installed as per AS3959 - 2009. For more detailed criteria please discuss with our sales staff or read our website FAQ 26.

Element	Protection installed	BAL 12.5	BAL 19	BAL 29	BAL 40 + FZ
Hinged + pivoting solid timber doors	Bushfire shutters	Surian Cedar	Surian Cedar	Surian Cedar	Surian Cedar
	Stealshield Kwila screens	Surian Cedar	Surian Cedar	Surian Cedar	Solid fire door required
	No protection	Surian Cedar OK provided 35mm thick for 400mm above threshold. Frame Rosewood or Merbau	Surian Cedar OK provided 35mm thick for 400mm above threshold. Frame Rosewood or Merbau	Surian Cedar OK provided 35mm thick for 400mm above threshold. Frame Merbau	Metal door screen required
Hinged + pivoting glazed doors	Bushfire shutters	Surian cedar sash Glass to AS1288	Surian cedar sash Glass to AS1288	Surian cedar sash Glass to AS1288	Surian cedar sash Glass to AS1288
	Stealshield Kwila screens	Surian cedar sash Glass to AS1288	Surian cedar sash Glass to AS1288	Surian cedar sash Glass to AS1288	Solid fire door required
	No protection	Rosewood sash Glass toughened 4mm or laminated Frame Rosewood or Merbau	Rosewood sash Glass toughened 5mm Frame Rosewood or Merbau	Merbau sash 6mm toughened glass. Screened below 400mm Frame Merbau	Solid fire door required
Sliding doors + Garage doors	Bushfire shutters	Surian Cedar Glass to AS1288	Surian Cedar Glass to AS1288	Surian Cedar Glass to AS1288	Surian Cedar Glass to AS1288
	Stealshield Kwila screens	Surian Cedar Glass to AS1288	Surian Cedar Glass to AS1288	Surian Cedar Glass to AS1288	Solid fire door required
	No protection	N.G.Rosewood or Merbau sash Glass toughened 4mm or laminated Frame Rosewood or Merbau	N.G.Rosewood or Merbau sash Glass toughened 5mm. Frame Rosewood or Merbau	Merbau only allowed. Glass toughened 6mm Frame Merbau	Solid fire door required
Window frames + surrounds	Bushfire shutters	Surian Cedar	Surian Cedar	Surian Cedar	Surian Cedar
	Stealshield screens	Surian Cedar	Surian Cedar	Merbau	Timber unacceptable
	No protection	Rosewood/Merbau for 400mm above > 110mm horizontal projection. Surian OK above 400mm	Rosewood/Merbau for 400mm above > 110mm horizontal projection. Surian OK above 400mm	Merbau	Timber unacceptable

Timber bushfire shutters compliant with AS3959 must be non removable hinged solid merbau panels completely covering the wall opening which can have up to 20% perforations. Proprietary metal bushfire shutters are also available.

This Bushfire compliance information is a general guide only and must be verified with your certifier for your specific application.